

# Sunón

## Headquarter & Experience Center

Add: Sunon Central Business Building, No.200 Shimin Street, Qianjiang CBD, Hangzhou, Zhejiang Province, China

## Russia Branch & Experience Center

Add: Sky Masnion, No.118 Varshavskoe Road, Moscow

## European R&D Center


Add: Brunnenstrasse 156, 10115 Berlin, Germany

## USA Headquarter & Experience Center

Add: 525 Technology Drive Suite 150 Irvine CA.92618, USA

## India Branch & Experience Center

Add: Floor I & II, 643, Rd Number 36, Aditya Enclave, Venkatagiri, Jubilee Hills, Hyderabad, Telangana 500033, India

    @sunonfurniture


[www.sunonglobal.com](http://www.sunonglobal.com)

[info@isunon.com](mailto:info@isunon.com)



Lipa

# Sunón



**Link the World  
Borderless Communication**

Information Age, Globalized Office  
We are increasingly linked to the world.

"New Generation" office  
Aiming at creating more connections  
and helping people to achieve more success  
possibilities.

Lipa—  
Link the World, Borderless Communication.



In work, one email, one call and even one meeting can lead to a connection.

The ratio of success depends on the connections you make with the world. More connections bring higher ratio of success.

Lipa, Create More Connections for Success.



## Executive Space

### Creators, Lead the Future

Never deliberately emphasize the status, always stay gentle and humble.

Always keep clear thinking, and link to a wider world.

Lipa,  
Minimalistic Style, Infinite Imagination,  
Marvelous Construction, Unworldly Taste.

### Extended Desk Top Connect Diversified Work Scenario

The corner desk design realizes infinite extension and division of different function zones. Supporting synchronous operation of multi screens and devices and meeting the daily demand of the informal meetings.





### Minimalistic Design, Comfortable Experience

2000mm\*1800mm super big desktop utilization ratio creates an extension of operation area and makes the complicated office work easy. Inspired by MAC AIR, the polygonedge of the desktop brings the seamless body-desk contact, making work more comfortable.

### Exquisite Craft, Upgraded Quality

68° inclined steel legs, a breakthrough of physics bending limit. More flexible, larger legroom. White matte effect on the surface of steel legs, decorated with silver accessories, enriching the understructure gradation on the whole and rendering a mild texture disposed of metal's coldness.





### Within Reach, Handy Use

The multi-function side cabinet has two versions. Reasonable inner space partitioning gives its drawers sufficient storage room.

Innovative handle design perfectly fit the point of finger strength so you can open and close the cabinet at ease.

Flip box, frosted with metal, delicate and elegant. Fitted with multi-outlet panel, it meets the power demand of different systems.



### Independent Office Yet No Compromising Communication

Catering to private office and keeping it closely connected to other work space meanwhile. I-shaped supervisor desk, simple and neat design makes communication easier. Side cabinet is optional, equally high with the main desk. It can be used as an extended workspace or independently used as a storage room.




## Working Space

Coordinators, Agile Response

Dynamic Space  
Better Coordinating Experience  
Lipa, A Style of Its Own  
Teamwork with flexible interaction  
Connecting fun and creative ideas freely.





### Easy Connection, Minimalistic Style


Concise I-shaped modeling makes communication and cooperation easier, smoothening project development and improving work efficiency.


Cable routing box of alluminum alloy, consistent design of the cable slot and the modesty panel, keeping the workspace neat and clean.



**“Bespoke” , Optimization of Space**

Focus on teamwork, I-shaped with cabinets, modular design, proper storage space of office and personal belongings. “1+1” assembly and array extends infinitely in space, a great improvement of space utilization ratio.





### Diversified Combination, Young Generation Style

L-shaped desk top orderly assembled using the 90°right angle. 2-person team can be formed with a turnaround, making communication more convenient.

A glass screen is fitted in to meet the demand for open and private space at the same time, bringing unprecedented experience to highlight energy and vigor.






### Detailed Design, Closer Connection


Newly added screen slot, as long as the gap between main desk and extended desk, thus seamless connection between desks to avoid small gadgets dropping or losing. Screen clip design can be used to clip the screen above and the modesty panel under the desk. Closely fitted to the thickness of the screen, easy to assemble and operate.



**Privacy-friendly  
an Coincidence with Modern Aesthetics**

Compared to the double E-shaped workstation, the H-shaped workstation aims at flexible work coordination. The enclosed workstation is good for concentration and independent thinking. Young and fashionable match of colors create a concise and open work environment.






#### Upgraded Safety, Innovative Routing

Metal plate cable routing slot optimize the whole cable routing system. It integrates power demand of modern office desks, with 50cm separation between strong and weak current ensuring the steady, fast and non-interfering signal transmission of the heavy-load switch. The close-to-edge cable box is closely fitting to the very edge of the desk, minimizing unused area to save space.







### Dare to Change, True to Oneself

120° workstation, a breakthrough of the conventional office mode. The whole workspace can be broken into three-person or six-person collaboration workspace, a big increase of work efficiency.






### Partitioning Function Space Efficient Office Work

120° workstation partitioned into different function sections around you, which enables more smooth work and sophisticated and diversified work demand being dealt with at ease.


Triangular prism cable riser matched with a flip box makes cables to rise from three sides, avoiding sophisticated cable routes and catering to heavy power demand from high-volume office.






### Combination of Functions and Intelligence

Shared central cabinet, linking to multi-scenarios of modern office, and realization of proper storage of files and documents with privacy consideration: an independent workstation of your own.



### Wireless Connection, Cleaner Office

The in-cabinet cable routing safely hides cables. The meticulous attention to details keeps the whole office environment more compact and clean.



### Various Combination, Convenient Office

Small room with big space. Sufficient storage room makes available the clear sorting out of personal belongings and work documents.



The top cabinet serves as a temporary bar counter, realizing simple communication within a small scope and the simultaneous note-taking makes work easier.





### **Involve More Communicators**

Balancing work and social life

Attracting more people

Lipa

Shared Space, Personalized Expression

Willing to Share, Efficient Interaction

**Negotiation Space**



### Temporary Communication

Small negotiation table. The mellow shape is consistent with the style of the whole series, meeting demand of small reception or temporary workout.








### Ample Room, Efficient Meeting


Formal meeting system. The minimalistic desk top and outward legs bring bigger legroom. Even a big meeting of 8-12 people won't find it cramped.




Executive Desk




DN89L/R  
W2200•D1800•H750(mm)




DN88L/R  
W2250•D1780•H750(mm)  
W2450•D1780•H750(mm)



DN87L/R  
W1800•D1630•H750(mm)  
W2000•D1630•H750(mm)



DN86  
W1800•D900•H750(mm)  
W2000•D900•H750(mm)



DN85  
W1600•D750•H750(mm)  
W1800•D900•H750(mm)  
W2000•D900•H750(mm)




DN21  
W900•D400•H750(mm)




DN22  
W900•D600•H750(mm)


Workstation




DN60  
W1200•D628•H750(mm)  
W1400•D728•H750(mm)  
W1500•D728•H750(mm)  
W1600•D728•H750(mm)




DN60A  
W1200•D628•H750(mm)  
W1400•D728•H750(mm)  
W1500•D728•H750(mm)  
W1600•D728•H750(mm)




DN61  
W1200•D1228•H750(mm)  
W1400•D1428•H750(mm)  
W1500•D1428•H750(mm)  
W1600•D1428•H750(mm)




DN61A  
W1200•D1228•H750(mm)  
W1400•D1428•H750(mm)  
W1500•D1428•H750(mm)  
W1600•D1428•H750(mm)



DN62L/R  
W1428•D1428•H750(mm)  
W1528•D1528•H750(mm)  
W1628•D1628•H750(mm)



DN62AL/R  
W1428•D1428•H750(mm)  
W1528•D1528•H750(mm)  
W1628•D1628•H750(mm)



DN62BL/R  
W1456•D1428•H750(mm)  
W1556•D1528•H750(mm)  
W1656•D1628•H750(mm)




DN63  
W1428•D2828•H750(mm)  
W1528•D3028•H750(mm)  
W1628•D3228•H750(mm)




DN63A  
W1428•D2828•H750(mm)  
W1528•D3028•H750(mm)  
W1628•D3228•H750(mm)




DN63B  
W1456•D2828•H750(mm)  
W1556•D3028•H750(mm)  
W1656•D3228•H750(mm)



DN64  
W2828•D2828•H750(mm)  
W3028•D3028•H750(mm)  
W3228•D3228•H750(mm)



DN64B  
W2856•D2828•H750(mm)  
W3056•D3028•H750(mm)  
W3256•D3228•H750(mm)




DN67  
W1200•D1228•H750(mm)  
W1400•D1428•H750(mm)  
W1500•D1428•H750(mm)  
W1600•D1428•H750(mm)



DN68  
W1200•D628•H750(mm)  
W1400•D728•H750(mm)  
W1500•D728•H750(mm)  
W1600•D728•H750(mm)




DN52  
W2400•D628•H750(mm)  
W2800•D728•H750(mm)  
W3000•D728•H750(mm)  
W3200•D728•H750(mm)




DN53  
W2400•D1228•H750(mm)  
W2800•D1428•H750(mm)  
W3000•D1428•H750(mm)  
W3200•D1428•H750(mm)


Workstation with Side Cabinet




DN60  
W1200•D628•H750(mm)  
W1400•D728•H750(mm)  
W1500•D728•H750(mm)  
W1600•D728•H750(mm)




DN60A  
W1200•D628•H750(mm)  
W1400•D728•H750(mm)  
W1500•D728•H750(mm)  
W1600•D728•H750(mm)




DN61  
W1200•D1228•H750(mm)  
W1400•D1428•H750(mm)  
W1500•D1428•H750(mm)  
W1600•D1428•H750(mm)




DN61A  
W1200•D1228•H750(mm)  
W1400•D1428•H750(mm)  
W1500•D1428•H750(mm)  
W1600•D1428•H750(mm)




DN62L/R  
W1428•D1428•H750(mm)  
W1528•D1528•H750(mm)  
W1628•D1628•H750(mm)




DN62AL/R  
W1428•D1428•H750(mm)  
W1528•D1528•H750(mm)  
W1628•D1628•H750(mm)




DN62BL/R  
W1456•D1428•H750(mm)  
W1556•D1528•H750(mm)  
W1656•D1628•H750(mm)




DN63  
W1428•D2828•H750(mm)  
W1528•D3028•H750(mm)  
W1628•D3228•H750(mm)




DN63A  
W1428•D2828•H750(mm)  
W1528•D3028•H750(mm)  
W1628•D3228•H750(mm)



DN63B  
W1456•D2828•H750(mm)  
W1556•D3028•H750(mm)  
W1656•D3228•H750(mm)



DN64  
W2828•D2828•H750(mm)  
W3028•D3028•H750(mm)  
W3228•D3228•H750(mm)




DN64B  
W2856•D2828•H750(mm)  
W3056•D3028•H750(mm)  
W3256•D3228•H750(mm)

120° Workstation




DN50  
W2344•D2710•H750(mm)




DN51  
W4716•D2710•H750(mm)


Combined Staff Workstation Of Cabinet




DNZGL/R  
W1500\*D640\*H645(mm)



DNCGL/R  
W1500\*D400\*H645(mm)



DNDZGL/R  
W1500\*D640\*H1217(mm)



DNDCGL/R  
W1500\*D400\*H1217(mm)


Meeting Table



DN70  
W1000\*D1000\*H750(mm)




DN71  
W2400\*D1200\*H750(mm)



DN72  
W2800\*D1400\*H750(mm)  
W3200\*D1400\*H750(mm)  
W3600\*D1400\*H750(mm)




DN73  
W1000\*D1000\*H750(mm)  
W1200\*D1200\*H750(mm)




DN74  
W2000\*D1000\*H750(mm)

Accessories



DNDXX  
W375\*D40\*H560(mm)



DNSXX  
W580\*D40\*H560(mm)




DNDXX  
W174\*D279\*H688(mm)




DNSXX  
W312\*D279\*H688(mm)




AUSCXB  
W300\*D119\*H69(mm)




BOMCXB  
W360\*D119\*H69(mm)



URYCXB  
W300\*D119\*H69(mm)



PERCXB  
W300\*D119\*H69(mm)




CNCXB  
W300\*D119\*H69(mm)




DNSPJ  
W300\*D270\*H95(mm)



DNDPJ  
W300\*D144\*H95(mm)




DNDLXG  
W2145\*D130\*H60(mm)




DNSLXG  
W2145\*D160\*H60(mm)




DNSXX  
W700\*D158\*H356(mm)  
W900\*D158\*H356(mm)  
W1000\*D158\*H356(mm)  
W1100\*D158\*H356(mm)  
W1200\*D158\*H356(mm)  
W1300\*D158\*H356(mm)  
W1400\*D158\*H356(mm)



DNDXX  
W700\*D68\*H349(mm)  
W900\*D68\*H349(mm)  
W1000\*D68\*H349(mm)  
W1100\*D68\*H349(mm)  
W1200\*D68\*H349(mm)  
W1300\*D68\*H349(mm)  
W1400\*D68\*H349(mm)



DNDXC  
W710\*D208\*H350(mm)  
W910\*D208\*H350(mm)  
W1010\*D208\*H350(mm)  
W1110\*D208\*H350(mm)  
W1210\*D208\*H350(mm)  
W1310\*D208\*H350(mm)  
W1410\*D208\*H350(mm)




DNSXC  
W700\*D310\*H440(mm)  
W900\*D310\*H440(mm)  
W1000\*D310\*H440(mm)  
W1100\*D310\*H440(mm)  
W1200\*D310\*H440(mm)  
W1300\*D310\*H440(mm)  
W1400\*D310\*H440(mm)




DNDDB  
W396\*D480\*H8(mm)  
W496\*D480\*H8(mm)



DNZDB  
W546\*D480\*H8(mm)  
W696\*D480\*H8(mm)



DNSDB  
W870\*D480\*H8(mm)  
W1070\*D480\*H8(mm)



DNBP  
W530\*350\*H32(mm)  
W880\*350\*H32(mm)  
W1080\*350\*H32(mm)  
W1180\*350\*H32(mm)  
W1280\*350\*H32(mm)  
W1380\*350\*H32(mm)  
W1480\*350\*H32(mm)  
W1580\*350\*H32(mm)

Material

Featured Color



S-57



S-10C

Other Options



S-50



S-37



S-43



S-57

Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.