

# Sunón

## Headquarter & Experience Center

Add: Sunon Central Business Building, No.200 Shimin Street, Qianjiang CBD, Hangzhou, Zhejiang Province, China

## Russia Branch & Experience Center

Add: Sky Masnion, No.118 Varshavskoe Road, Moscow

## European R&D Center

Add: Brunnenstrasse 156, 10115 Berlin, Germany

## USA Headquarter & Experience Center

Add: 525 Technology Drive Suite 150 Irvine CA.92618, USA

## India Branch & Experience Center

Add: Floor I & II, 643, Rd Number 36, Aditya Enclave, Venkatagiri, Jubilee Hills, Hyderabad, Telangana 500033, India

[f](#) [t](#) [o](#) [i](#) @sunonfurniture

[www.sunonglobal.com](http://www.sunonglobal.com)

[info@isunon.com](mailto:info@isunon.com)



RACHEL

Sunón



TAKE YOUR BODY ON A JOURNEY



Drawing the charm of mountains and colors of the earth, unload your burden and fall into nature with Rachel.



The fine fabric is her supple surface. The built-in 13mm-thick steel frame under the ABS shell constructs her muscular soul.

The 1:1 perfect splicing offers reassuring support for your body curvature.  
The unibody cast armrest, easy on the eyes with a refined contour.  
Tilt effortlessly on the Italy-made Donati base, break bounds and go free.





Who says a meeting has to play by the rules? It's time to say goodbye to old conventions, cut down on the formalities, shake off the red tapes, and embrace infinite possibilities.





The soft-to-touch fabric lacks no firmness.  
The backrest, catching your eyes with a unique pattern “|||”,  
an expansion of visual dimensionality.  
Less is more, with refreshed spirit and light body,  
say “Hello” to the world on Rachel.





Storage is a form of art itself.  
Stacking is fun with Rachel's trapezoid legs.  
Pile up Rachel chairs casually to DIY your own artwork.





CRC60TM/CRC61TM  
W610\*D560\*H915(mm)



CRC62TM  
W605\*D580\*H910(mm)



CRC10GM  
W555\*D535\*H780(mm)



CRC11GM  
W565\*D540\*H780(mm)

Material

C-AC Series



Base Color



Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.