

# Sunón

## Headquarter & Experience Center

Add: Sunon Central Business Building, No.200 Shimin Street, Qianjiang CBD, Hangzhou, Zhejiang Province, China

## Russia Branch & Experience Center

Add: Sky Masnion, No.118 Varshavskoe Road, Moscow

## European R&D Center



Add: Brunnenstrasse 156, 10115 Berlin, Germany

## USA Headquarter & Experience Center

Add: 525 Technology Drive Suite 150 Irvine CA.92618, USA

## India Branch & Experience Center

Add: Floor I & II, 643, Rd Number 36, Aditya Enclave, Venkatagiri, Jubilee Hills, Hyderabad, Telangana 500033, India

    @sunonfurniture

[www.sunonglobal.com](http://www.sunonglobal.com)

[info@isunon.com](mailto:info@isunon.com)




UP 1

# Sunón


# UP1- Initiate a sit-to-stand campaign

Duple smoothness



In a post-pandemic era, modern employees' daily lives have experienced subtle yet conspicuous changes. Go to work by bike, practice yoga during a break, stand up and walk around frequently... today's employees care about their health more than ever before. In fact, a sit-to-stand campaign is simmering.

As an executive, Richard used to live a sedentary life. Now, he prefers to talk to employees while standing up; beside a dual-desk set, a document was passed to Tom and got stamped instantly; Lucy, who sits in front of an L-shape desk, got inspirations after doing some stretching exercises; Amber, who suffered a lot from neck pain before, found herself quite obsessed with the 120-degree lift desk.



Sit-to-stand working model, get rid of sub-health,  
and lead a new era of 5G working.







## Dual-control system



### Bring synchronized data and agile response

Hand-control via high definition LED screen; Mobile-control via smart APP, remote control within a distance of 10m. Synchronized data to reach designated height. Multi-level lift to bring a healthy body, and high productivity.



### 3-level memory height

Set preferred heights for sitting and standing postures from now.

### Silent lift

< 46 dB, minimize office noise and focus on work.


### Reach within 13s

With a speed of 30-38mm/s, UP-one achieves the designated height within 13s, indulging you with a quick response.

### Retreat upon obstacle

Automatic ascend or descend when there is an obstacle.





## Sit-to-stand

### Boost office health

Evidence shows a short-term standing helps to boost blood circulation, burn redundant calories, and foster the process of metabolism, while lengthy-standing increases risks of back pain and fatigue. As a result, it would be better for us to change our postures from time to time. UP-one lift desk reduces the sedentary period by 60% and facilitates transitions between sit and stand, thus ensures a healthy work style.







### **One-set dual-desk: enliven procedure-based work**

According to surveys, finance/administrative staff suffer most from sedentary working, as heads-down work is quite normal because of the nature of their jobs. UP-one's one-set dual-desk system allows two people to sit together. It is also capable of being extended continuously on this basis, catering to the needs of teamwork.



## 120° grand desktop

### Show your capabilities

Curved edge allows free stretching of your arms on both sides; 1400mm-long, 750mm-deep desktop is broad enough for you to lay drawings; sit-to-stand design draws an outburst of inspiration.





Synchronized lift of 3 legs; Grand desktop displays generosity.






### **Independent routing & partition screen: focus on work**

A messy routing tends to distract your thinking, while a lift desk usually has a much more complicated routing system than regular desks. UP-one newly adopts hidden routing columns to provide a safe knee clearance. Screens are optional to build a semi-private environment for concentrated work.





## L-shape lift desk

### L-shape lift desk: foster flexible teamwork

As the business develops, an increasing number of projects are undertaken by teams. In this sense, the sit-to-stand desk is not only a fashion trend for the young but also a smart choice for health-chasers. Available in different combinations, UP1 easily accommodates to different spaces and team adjustments.









#### Contemporary minimalist style steel frame

The lower frame of the lift desk uses cold-rolled steel, which is stable and durable. It is available in three colors: Matte White, Matte Black, Meteor Grey. Elegant colors together with lifting dynamics inject a slew of vibrancy to your space.

Standard worktops



Combinations



Smart APP



American standard/Australian standard/European standard/Chinese standard socket/British standard



Dual-motor lifting system



Crossbeam routing system



Dual-desk routing system



Independent routing system



Desktop in 7 colors



underdesk shielding panel



American standard/British standard/Australian standard/European standard/Chinese standard





























### UP1 routing system







































































1. Grounded power cord goes through routing columns and beams to supply power to extension desk, with wires fully hidden inside;
2. 86mm\*86mm socket holes are pre-reserved on the side surface of routing beams, with at most 3 sockets available on each side;
3. Wires of lifting motor and power strip can be stored inside the snake tube.



Specification

 DZZ80R W1800*D1820*H720-1210(mm) W2000*D1820*H720-1210(mm)	 DZZ80L W1800*D1820*H720-1210(mm) W2000*D1820*H720-1210(mm)	 DZZ60 W1200*D600*H25(mm) W1400*D600*H25(mm) W1500*D600*H25(mm) W1600*D600*H25(mm) W1800*D600*H25(mm)	 DZZ61 W1400*D750*H25(mm) W1400*D600*H25(mm) W1600*D750*H25(mm) W1800*D750*H25(mm)	 DZZ62R W1500*D1500*H600*600(mm) W1600*D1600*H600*600(mm)
 DZZ80R W1500*D1500*H600*600(mm) W1600*D1600*H600*600(mm)	 DZZ63 W1400*D1400*H750*750(mm)			
 DZZ64/66 W1150-1750*D600* H695-1185(mm) W1150-1750*D680* H695-1185(mm)	 DZZ65/67 W1150-1750*D600* H700-1245(mm) W1150-1750*D680* H700-1245(mm)	 DZZ50/68 W1150-1750*D1224* H695-1185(mm) W1150-1750*D1374* H695-1185(mm)	 DZZ51/69 W1150-1750*D1224* H700-1245(mm) W1150-1750*D1374* H700-1245(mm)	 DZZ52/53 W1450-1550*D1440-1540* H695-1185(mm) W1150-1750*D1440-1540* H700-1245(mm)
 DZZ54/55 异形	 DZZDZ.ZX W1193*D303*H292(mm) W1393*D303*H292(mm) W1493*D303*H292(mm) W1593*D303*H292(mm) W1793*D303*H292(mm)	 DZZSZ.ZX W1193*D737*H292(mm) W1393*D737*H292(mm) W1493*D737*H292(mm) W1593*D737*H292(mm) W1793*D737*H292(mm)	 DZZSZ.KZX W1393*D887*H292(mm) W1493*D887*H292(mm) W1593*D887*H292(mm) W1793*D887*H292(mm)	 DZZ20 W1183*D800*H12(mm) W1380*D800*H12(mm) W1480*D800*H12(mm) W1580*D800*H12(mm) W1780*D800*H12(mm) W1300*D800*H12(mm)
 DZZ22 W580*D500*H8(mm) W730*D500*H8(mm) W1180*D500*H8(mm)	 DZZ22 W1380*D500*H8(mm) W1480*D500*H8(mm) W1580*D500*H8(mm) W1780*D500*H8(mm)	 DZZ21 W1000*D330.5*H73(mm) W1200*D330.5*H73(mm) W1300*D330.5*H73(mm) W1400*D330.5*H73(mm) W1600*D330.5*H73(mm)	 DZZ.SZZ/PXZJTJ W543-718*D322*H218(mm) W543-718*D322*H218(mm)	 DZZHX.SXH W175*D110*H472(mm)
 DZHXT.YX	 DZZLJ.GXH W175*D110*H66(mm)	 DZZLD.SXG W1250*D130*H109(mm)	 DZZXG.SXG L1000	

Specification

 DZZCZ.AB	 DZZCZ.GB	 DZZCZ.MB	 DZZCZ.OB	 DZZCZ.YB
Sofa / Pillow				
<b>Material</b>				
Desktop main color		Desktop optional color		Lower rame color
				
S-57	S-56	S-77	S-43	S-53
				
S-66	S-37	Warm white	Meteor gray	Matt black
<b>Cushion fabric material</b>				
<b>TM-VI</b>				
				
TM-VI10B	TM-VI11B	TM-VI21B	TM-VI27B	TM-VI29B
				
TM-VI30B	TM-VI42B	TM-VI54B	TM-VI64B	TM-VI81B
				
TM-VI82B	TM-VI90B			
<b>TM-CI</b>				
				
TM-CI10B	TM-CI21B	TM-CI27B	TM-CI29B	TM-CI30B
				
TM-CI35B	TM-CI42B	TM-CI50B	TM-CI60B	TM-CI62B
				
TM-CI80B	TM-CI81B			
				
TM-CI82B	TM-CI83B			
<b>P-BL</b>				
				
P-BL30	P-BL31	P-BL32	P-BL33	P-BL35
				
P-BL36	P-BL41	P-BL44	P-BL45	
<b>P-BY</b>				
				
P-BY01	P-BY02	P-BY20	P-BY21	P-BY22
				
P-BY23	P-BY24	P-BY25	P-BY27	
<b>P-TM</b>				
				
P-TM01	P-TM02	P-TM06	P-TM07	P-TM09
				
P-TM10	P-TM12	P-TM13	P-TM14	
<b>P-KM</b>				
				
P-KM30	P-KM33			