

Sunon

Headquarter & Experience Center

Add: Sunon Central Business Building, No.200 Shimin Street, Qianjiang CBD, Hangzhou, Zhejiang Province, China

Russia Branch & Experience Center

Add: Sky Masnion, No.118 Varshavskoe Road, Moscow

European R&D Center


Add: Brunnenstrasse 156, 10115 Berlin, Germany

USA Headquarter & Experience Center

Add: 525 Technology Drive Suite 150 Irvine CA.92618, USA

India Branch & Experience Center

Add: Floor I & II, 643, Rd Number 36, Aditya Enclave, Venkatagiri, Jubilee Hills, Hyderabad, Telangana 500033, India

    @sunonfurniture

www.sunonglobal.com

info@isunon.com



H2

Sunon



Yoga-based Spine-friendly Chair



Ergonomic, relaxing, spine-friendly.
H2 is designed with edgeless comfort.



A Masterpiece Of Ergonomics

Sunon spent 3 years researching 4000 sitting posture samples and developed this pioneering 4.0 dual-back chair, which conforms to different people's bodies to provide dynamic spinal support.


H2 offers common but differentiated support for cervical vertebra, thoracic vertebrae, and lumbar vertebra, shielding you from the hazards caused by sedentary working.



- H2 Chair

Here are some of the benefits of the bridge pose:

1. Help strengthen back muscles;
2. Relieve a tired back;
3. Benefit your chest, spine and neck;
4. Help to reduce anxiety, depression, and stress;
5. Benefit the digestion system.



With bridge posture integrated

Just like spines lift up as yoga bricks pile up, the lumbar support allows edgeless gear transition to accommodate different working modes, achieving the flowing movement of spines under various gears.





Here are some of the benefits of the bridge pose:

1. Help strengthen back muscles;
2. Relieve a tired back;
3. Benefit your chest, spine and neck;
4. Help to reduce anxiety, depression, and stress;
5. Benefit the digestion system.

Set your own comfort

The pioneering 3D dynamic dual-backs support the fatigue-prone 4th-5th section of lumbar vertebrae, reducing the chance of lumbar subsidence and hunchback, and effectively preventing spine-related problems.





Move with your body

30-degree synchronous swing from side to side makes H2 fit your body like a glove, activating the hidden functions of your waist and relieving your pressure effortlessly.



- H2 Chair



- H2 Chair

Comfortable throughout working hours

According to sitting biomechanics, the strong bracing provided by lumbar support helps your lumbar vertebrae to maintain a natural curvature and mitigate the stress felt by it.






Dealing with back pain is difficult enough, but when also have a depressed mood, poor digestion, and any of the other posture-related problems, it can dramatically impact your quality of life.



Flexible tilting adjustment

133° 4-gear tilt allows you to personalize your postures. 55mm seat depth adapts to people of all shapes and statures.



Small ◀

▶ Big







4D armrest- forward and backward 40mm



4D armrest-30° rotation



4D armrest- leftward and rightward 15°



4D armrest- up/down 83mm



3D headrest- up/down 53mm



3D headrest - forward/backward 135°



3D headrest - 110° rotation



seat depth- 55mm adjustment.



CHT80SW
W685*D700*H1190(mm)



CHT81SW
W685*D700*H1190(mm)



CHT60SW
W685*D680*H1030(mm)



CHT82SW
W685*D660*H1190(mm)



CHT61SW
W685*D640*H1030(mm)



CHT62SW
W680*D680*H1030(mm)



CHT83SW
W685*D700*H1190(mm)



CHT84SW
W685*D700*H1190(mm)



CHT63SW
W685*D680*H1030(mm)



CHT85SW
W685*D660*H1190(mm)



CHT64SW
W685*D640*H1030(mm)



CHT65SW
W680*D680*H1030(mm)



CHT86SW
W685*D700*H1190(mm)



CHT87SW
W685*D700*H1190(mm)



CHT66SW
W685*D680*H1030(mm)



CHT88SW
W685*D660*H1190(mm)



CHT67SW
W685*D640*H1030(mm)



CHT68SW
W680*D680*H1030(mm)

Material

Backrest / Headrest



CW-HY21B CW-HY30B CW-HY80B CW-HY10B CW-AP21 CW-AP27

Seat / Footrest



SM-PC11B SM-PC51B SM-PC60B SM-PC62B SM-PC83B SM-PC21B SM-PC27B SM-PC10B CW-AP21 CW-AP27

Given that products may be updated constantly, no further notice will be given in regard of changes in specification, and the real product shall be considered as final.